


10/21 CURTAIN TRACK


ROLE




- Hand draw
- Mid - Heavy weight
- Bendable
- 2 colors
- Pleats and Ripple
- Glider and Roller

PROFILE

	Standard	Premium
Material	Aluminium	Aluminium
Length*	5800 mm / 19 ft	4000 mm / 13 ft
Weight pm	0.26 KG/ 0.57 lbs	0.26 KG/ 0.57 lbs
Colour	○ 9016	○ 9016
	● 9005	● 9005




Standard profile
508-0022-05x



Premium profile
508-0022-03x

CAPACITY



One way draw
A Up to 10 kg (22lb)
B Up to 20 kg (44lb)

Two way draw
A Up to +10 kg (22lb)
B Up to +20 kg (44lb)

For 1 glider




1,5 kg (3.3lb)
 1,5 kg (3.3lb)

BENDING




Manual bending

Radius	Interval U	Interval S
150	420	550



Electric Bending

Radius	Interval U	Interval S
200	550	650




10/21 CURTAIN TRACK




GLIDERS OPTION / DIMENSIONS


Ball bearing 21 mm




Ball bearing 16 mm




Glider asymmetric




Heavy duty glider



Roller




Economy glider




GLIDERS OPTION / DIMENSIONS


Wide ripple




Snap 3-legged hook




Snap pendant



Wheeled snap 3-legged hook




Wheeled snap pendant




BRACKETS OPTION/ DIMENSIONS

Ceiling click bracket




Bracket width: 22 mm (7/8")

Ceiling click bracket double




Bracket width: 19,5 mm (3/4")

Wall Adjustable bracket



Bracket width: 41,5 mm (1 5/8")

Wall Adjustable bracket Double




Bracket width: 43 mm (1 11/16")

10/21 CURTAIN TRACK




BRACKETS OPTION/ DIMENSIONS

Wall aluminium bracket



Bracket width: 19 mm (3/4")

Wall aluminum double bracket



Bracket width: 19 mm (3/4")